
GEBERIT FLUSHING SYSTEM

Systems for Floor-Mounted, Back Outlet Toilets, 2x6 Installation

Concealed Tank, Sigma 2x6 Installation

Model No.	Description	List Price \$
109.304.00.5	1.6/0.8 GPF Sigma Concealed Tank 2x6 Installation	442.00
109.307.00.5	1.28/0.8 GPF Sigma Concealed Tank 2x6 Installation	442.00




NOTES

- 1. Concealed tank shipped dual-flush ready
- 2. Tank for floor-mounted, back outlet washdown style toilet fixtures only
- 3 Refer to **geberit.us** for latest list of code approved compatible toilet fixtures, including certified WaterSense* combinations

Note: For System Accessories see pages 26-28.

Dual-Flush Actuators, Sigma 2x6 Installation



Style	Material	Finish	Model No.	List Price \$
Sigma21	Zinc PVD	Customizable	115.650.00.1	724.00
	Red	Mustang Slate	115.650.JM.1	905.00
00	Gold Color	Concrete Look	115.650.JV.1	905.00
	NEW!	Black Walnut	115.650.JX.1	1,234.00
		White	115.650.SI.1	795.00
		Black	115.650.SJ.1	795.00
Sigma21	Zinc PVD	Customizable	115.651.00.1	724.00
	Black	Mustang Slate	115.651.JM.1	905.00
00	Chrome Color	Concrete Look	115.651.JV.1	905.00
	NEW!	Black Walnut	115.651.JX.1	1,234.00
		White	115.651.Sl.1	795.00
		Black	115.651.SJ.1	795.00
	Zinc PVD	Customizable	115.652.00.1	724.00
	Brass	Mustang Slate	115.652.JM.1	905.00
	Color	Concrete Look	115.652.JV.1	905.00
	NEW!	Black Walnut	115.652.JX.1	1,234.00
		White	115.652.SI.1	795.00
		Black	115.652.SJ.1	795.00
	Zinc	Camel NEW!	115.761.00.4	552.00
	Chrome	Beige NEW!	115.761.00.5	552.00
	Color	Grey Linen NEW!	115.761.00.6	552.00
		Dark Rock NEW!	115.761.00.7	552.00
		Concrete Look NEW!	115.884.JV.1	552.00
		Black Walnut NEW!	115.884.JX.1	867.00
		Customer supplied overlay	115.884.00.1	434.00
		Lava Glass NEW!	115.884.JK.1	558.00
		Grey Sand Glass NEW!	115.884.JL.1	558.00
		Mustang Slate	115.884.JM.1	558.00
		White Glass	115.884.SI.1	558.00
		Black Glass	115.884.SJ.1	558.00
Sigma30	Plastic	White Matte Coated-Coated-White NEW!	115.883.01.1	289.00
		White-Matte White NEW!	115.883.11.1	176.00
		Matte Black-Polished	115.883.14.1	289.00
		Chrome-Matte Black***		
		Black Matte Coated-Black NEW!	115.883.16.1	289.00
		Black-Matte Black NEW!	115.883.DW.1	198.00
		Matte Chrome-Polished Chrome-Matte Chrome***	115.883.JQ.1	302.00
		Matte White-Polished Chrome-Matte White***	115.883.JT.1	289.00
		Polished Chrome-Matte Chrome-Polished Chrome***	115.883.KH.1	246.00
		White-Polished Chrome-White***	115.883.KJ.1	154.00
		White-Polished Gold-White***	115.883.KK.1	198.00
		Black-Polished Chrome-Black***	115.883.KM.1	198.00

Concealed Tank, Sigma 2x6 Installation (continued)

The information contained in this document is subject to change without notice.

Concealed Tank, Sigma 2x6 Installation (continued)

Style	Material	Finish	Model No.	List Price \$
Sigma50	Zinc PVD	Customizable	115.670.00.2	724.00
	Red	White	115.670.11.2	724.00
	Gold Color	Black	115.670.DW.2	724.00
	NEW!	Mustang Slate	115.670.JM.2	905.00
		Concrete Look	115.670.JV.2	905.00
		Black Walnut	115.670.JX.2	1,234.00
	Zinc PVD	Customizable	115.671.00.2	724.00
	Black	White	115.671.11.2	724.00
	Chrome Color	Black	115.671.DW.2	724.00
	NEW!	Mustang Slate	115.671.JM.2	905.00
		Concrete Look	115.671.JV.2	905.00
		Black Walnut	115.671.JX.2	1,234.00
	Zinc PVD	Customizable	115.672.00.2	724.00
	Brass	White	115.672.11.2	724.00
	Color	Black	115.672.DW.2	724.00
	NEW!	Mustang Slate	115.672.JM.2	905.00
		Concrete Look	115.672.JV.2	905.00
		Black Walnut	115.672.JX.2	1,234.00
Sigma50	Zinc Chrome Color	Concrete Look NEW!	115.788.JV.2	552.00
		Black Walnut NEW!	115.788.JX.2	867.00
		Customizable	115.788.00.2	434.00
		White	115.788.11.2	434.00
		Bright Chrome	115.788.21.2	558.00
		Black	115.788.DW.2	434.00
		Brushed Chrome	115.788.GH.2	558.00
		Lava Glass NEW!	115.788.JK.2	558.00
		Grey Sand Glass NEW!	115.788.JL.2	558.00
		Mustang Slate	115.788.JM.2	558.00
		Smoked Glass	115.788.SD.2	558.00
Sigma60 [†]	Zinc	Brushed Chrome	115.640.GH.1	731.00
Jigiridoo	Glass	Lava Glass NEW!	115.640.JK.1	731.00
	Glass	Grey Sand Glass NEW!	115.640.JL.1	731.00
		White Glass	115.640.Sl.1	731.00
		Black Glass	115.640.SJ.1	731.00
		Rough-in set	243.168.00.1	18.00
		(REQUIRED accessory)	243.100.00.1	18.00
		Cover frame (optional accessory) Polished Chrome	115.641.21.1	197.00
		Cover frame (optional accessory) Brushed Chrome	115.641.GH.1	197.00
Sigma70	Plastic	Customizable	115.620.00.1	619.00
	Stainless	Brushed Stainless Steel	115.620.FW.1	820.00
	Glass	Lava Glass NEW!	115.620.JK.1	724.00
		Grey Sand Glass NEW!	115.620.JL.1	724.00
		White Glass	115.620.Sl.1	724.00
		Black Glass	115.620.SJ.1	724.00

Single-Flush Actuators, Sigma 2x6 Installation

	Material	Finish	Model No.	List Price \$
Style	Materiai	FINISH	Model No.	LIST Price \$
Sigma10 [‡] St	Stainless	Matte Black-Polished Chrome-Matte Black*	115.758.14.5	409.00
		Matte White-Polished Chrome-Matte White*	115.758.JT.5	409.00
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless St	115.758.SN.5 teel*	299.00
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless St Vandal Resistant	115.787.SN.5 teel*	339.00

- * Finishes follow this pattern = Plate-Ring-Button
- ** Finishes follow this pattern = Frame-Button
- ***Finishes follow this pattern = Frame-Button Edge Trim-Button
- [†] Note: For tile, stone or other hard surfaced walls only!
- Not intended to be sold in California with 1.6 GPF units

The information contained in this document is subject to change without notice.

Single-Flush Actuators, Sigma 2x6 Installation (continued)

Style	Material	Finish	Model No.	List Price \$
Sigma10 [‡]	Plastic	Polished Chrome-Matte Chrome-Polished Chrome*	115.758.KH.5	219.00
[O]		White-Polished Chrome-White*	115.758.KJ.5	153.00
		White-Polished Gold-White*	115.758.KK.5	435.00
		Black-Polished Chrome-Black*	115.758.KM.5	187.00
		Matte Chrome-Polished Chrome-Matte Chrome*	115.758.JQ.5	219.00
Sigma30 [‡]	Zinc	Matte Black-Polished Chrome-Matte Black***	115.893.14.1	390.00
		Matte White-Polished Chrome-Matte White***	115.893.JT.1	390.00
		Polished Gold***	115.893.45.1	3,157.00
		White-Polished Chrome-White***	115.893.KJ.1	290.00
		Brushed Chrome-Polished Chrome-Brushed Chrome***	115.893.KX.1	427.00
		Polished Chrome-Brushed Chrome-Polished Chrome***	115.893.KY.1	427.00

Style	Material	Finish	Model No.	List Price \$
Sigma10	Stainless	Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel' Vandal Resistant (AC Power with manual override)	115.890.SN.5	1025.00
		Brushed Stainless Steel-Polished Stainless Steel-Brushed Stainless Steel* Vandal Resistant (Battery/DC Power with manual override)	115.891.SN.5	1056.00
Sigma 10	Plastic	Polished Chrome-Matte Chrome* (AC Power)	115.907.KH.1	836.00
		White-Polished Chrome* (AC Power)	115.907.KJ.1	836.00
		White-Polished Gold* (AC Power)	115.907.KK.1	836.00
		White-Matte Chrome* (AC Power)	115.907.KL.1	836.00
		Black-Polished Chrome* (AC Power)	115.907.KM.1	836.00
		Matte Chrome-Polished Chrome* (AC Power)	115.907.KN.1	836.00
	Stainless	Brushed Stainless Steel-Polished Stainless Steel* (AC Power)	115.907.SN.1	897.00
		Required Transformer for AC powered hands-free actuator (order separately)	115.861.00.1	175.00
	Plastic	Polished Chrome-Matte Chrome* (Battery)	115.908.KH.1	860.00
		White-Polished Chrome* (Battery)	115.908.KJ.1	860.00
		White-Matte Chrome* (Battery)	115.908.KL.1	860.00
		White-Polished Gold* (Battery)	115.908.KK.1	860.00
		Black-Polished Chrome* (Battery)	115.908.KM.1	860.00
		Matte Chrome-Polished Chrome* (Battery)	115.908.KN.1	860.00
	Stainless	Brushed Stainless Steel-Polished Stainless Steel* (Battery)	115.908.SN.1	922.00
Sigma80	Glass	Black (AC Power)	116.090.SG.1	1,713.00

Remote Programming Accessory for Hands-Free Actuators

accessory for Sigma10 and Sigma80) length 78-3/4" (2 m)


Required Transformer for AC

powered hands-free actuator (order

Extension mains cable (optional

Mirror (AC Power)

separately)



Note: Sigma80 not recommended for bidet seat applications

116.090.SM.1

115.861.00.1

241.831.00.1

1,713.00

175.00

84.00

GEBERIT FLUSHING SYSTEM

Systems for Floor-Mounted, Back Outlet Toilets, 2x6 Installation

Dual-Flush Buttons for Concealed Installations, Sigma 2x6 Installation

Style	Material	Finish	Model No.	List Price \$
Type 01	Plastic	Alpine White	116.042.11.1	139.00
(Polished Chrome	116.042.21.1	181.00
<u></u>	Plastic	Alpine White &	116.044.11.1	139.00
Type 10	Plastic	Matte Chrome-Polished Chrome**	116.055.KH.1	198.00
\bigcirc		Polished Chrome-White**	116.055.KJ.1	181.00
9		Polished Chrome-Black** NEW!	116.055.KM.1	198.00
Type 70	Stainless	Brushed Stainless Steel 🕭	115.630.FW.1	923.00
	Glass	Lava Glass <i>NEW!</i>	115.630.JK.1	785.00
		Grey Sand Glass NEW!	115.630.JL.1	785.00
		White Glass &	115.630.Sl.1	785.00
		Black Glass 🕭	115.630.SJ.1	785.00
Rectangle	Plastic	Polished Chrome-Matte Chrome**	116.051.KA.1	181.00
		Black-Chrome NEW!	116.051.KV.1	181.00
	Zinc	Brushed Chrome	116.051.GH.1	313.00
	Plastic	Polished Chrome &	116.052.21.1	181.00

Dual-Flush Buttons for Furniture Installations, Sigma 2x6 Installation

Style	Material	Finish	Model No.	List Price \$
Type 01	Plastic	Alpine White	116.050.11.1	139.00
O		Polished Chrome	116.050.21.1	181.00
•		Matte Chrome	116.050.46.1	181.00
Type 10	Plastic	Matte Chrome-Polished Chrome**	116.057.KH.1	198.00
\bigcirc		Polished Chrome-White**	116.057.KJ.1	181.00

Single-Flush Buttons for Concealed Installations, Sigma 2x6 Installation

Type 01‡	Plastic	Alpine White	116.040.11.1	119.00
0		Polished Chrome	116.040.21.1	139.00

Extension Hoses for Flush Button Installations

(For Flush Buttons located beyond 6' from carrier)

Double pneumatic hose for dual-flush 78.74" (2 m) (Blue/Clear for Type01/Type10/Rectangle)	240.575.00.1	10.00
Double pneumatic hose, 78.74" (2 m), dual-flush (Green/Clear for Type7	243.297.00.1 '0)	10.00
Pneumatic hose 137.80" (3.5 m) for single flush	256.000.00.1	9.00

Cover Plates for Sigma Concealed Tank, Sigma 2x6 Installation, for use with Flush Buttons

Contraction of the last of the	Glass	White	115.766.Sl.1	243.00
	Stainless	Brushed Stainless Steel Vandal Resistant	115.764.FW.1	194.00
		Customizable	115.766.00.1	194.00
	Plastic	Alpine White	115.768.11.1	85.00
		Polished Chrome	115.768.21.1	111.00
		Matte Chrome	115.768.46.1	111.00

Surface Even Cover Plates for Sigma Concealed Tank, 2x6 Installation, for use with Flush Buttons

Plastic	Customizable [†]	115.696.00.1	243.00
	Customizable with frame [†]	115.697.00.1	306.00
	Rough-in set (REQUIRED accessory. Purchase with one of above)	243.168.00.1	18.00


The information contained in this document is subject to change without notice.

- * Finishes follow this pattern = Plate-Ring-Button
- ** Finishes follow this pattern = Frame-Button
- ***Finishes follow this pattern = Frame-Button Edge Trim-Button
- [†] Note: For tile, stone or other hard surfaced walls only!
- * Not intended to be sold in California with 1.6 GPF units

Geberit Sigma Concealed Tank 109.304.00.5 and 109.307.00.5, 2x6 Installation


Item	Model No.	Description	List Price \$		
1	240.923.00.1	Fixation clip for filling valve	7.00		
2	241.469.00.1	Filling valve Type 380 for Sigma, Omega and Kappa Concealed Tanks	32.00		
2.1	240.771.00.1	Seal kit for filling valve Type 380	12.00		
4.1	241.167.00.1	Yoke set for flush valves	12.00		
4.2	816.418.00.1	Geberit flat gasket for flush valve	4.00		
5.1	241.868.00.1	U-cup seal for valve basket	4.00		
6	243.345.00.1 or 243.168.00.1	Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, plastic	18.00		
7	242.315.00.1	Splash guard protection cover for Sigma Concealed T	ank 2x6 10.00		
8	241.829.00.1	Flush actuator gear box	10.00		
9	362.771.00.1	Seal for concealed flush pipe, EPDM	4.00		
10	362.796.92.1	Protection plug, plastic	7.00		
11	240.921.00.1	Connection hose for Sigma Concealed Tank, 3/8"	17.00		
	241.854.00.1	Connection hose for Sigma Concealed Tank, 3/8" – dezincification resistant	25.00		
11.1	240.922.00.1	Set of seals for RFB hose	5.00		
12	240.853.00.1	Supply angle stop (black handle)	15.00		
13	240.269.00.1	Angle stop valve to concealed tank (blue handle)	23.00		

Item	Model No.	Description L	ist Price \$
13.1	240.298.00.1	Spindle to angle stop valve	18.00
13.2	240.347.00.1	Handle for angle stop valve (blue)	6.00
13.3	241.857.00.1	Counter nut, plastic	6.00
13.4	240.851.00.1	Drop ear elbow, copper	15.00
14	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte Chrome cover caps	50.00
14	152.404.11.1	Connector set with mounting hardware (bowl installation HDPE; Matte White cover caps (accessory only)	kit), 50.00
14.1	217.713.46.1	Cover caps with leveling washer, plastic, Matte Chrome	8.00
14.2	119.668.00.1	Seal for supply inlet tube, EPDM	4.00
14.3	152.424.00.1	Seal for toilet outlet connector, EPDM	6.00
15	242.698.00.1	Concealed Flush Bend for Sigma tank	38.00
16A	245.380.00.1	1.6/0.8 GPF dual flush valve for Sigma Tanks	23.00
16B	245.400.00.1	1.28/0.8 GPF dual flush valve for Sigma Tanks	23.00
16.1	244.844.00.1	Handle set	14.00
16.2	244.244.00.1	Flat gasket seal	4.00
16.3	241.868.00.1	U-cup seal for valve basket	4.00



GEBERIT SYSTEM ACCESSORIES

Geberit Optional and Required Accessories for Installation



List 111.335 111.798 111.012 Description Model Number Price \$ 111.902 111.597 111.018 111.520 111.524 111.490 111.625 109.307 109.797 OPTIONAL Connection Sets and Accessories for Finished Walls up to 3.5" (9cm) Thick 152.950.11.1 40.00 PE syphon trap with horizontal outlet and seal: Ø1.96" (Ø50 mm) outlet PE syphon trap with vertical outlet and seal; 152.951.11.1 40.00 Ø1.97" (Ø50 mm) outlet Acoustic insulation set for wall-hung toilets and 156.050.00.1 Cover caps with leveling washer, plastic, Alpine 217.713.11.1 10.00 White 405.116.00.1 252.00 HDPF connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø55 supply inlet; Matte Chrome cover caps REQUIRED Connection Sets and Accessories for Finished Walls 3.5" - 7.0" (9-18cm) Thick HDPE Connector set for extended installation 152.438.46.1 and mounting hardware (bowl installation kit), with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps Extension set for actuator plates for Sigma 240.938.00.1 28.00 Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks Mud guard protection housing for Sigma 241.826.00.1 15.00 Concealed Tanks 2x6 and 2x4, plastic, 4 inch (10 cm) Mud guard protection housing and extension set 241.930.00.1 22.00 for urinal carrier Mounting rod M12 x 10" long. M12 x 10" Not supplied. Mounting rod M10 x 10" long. M10 x 10"

M8 x 10"

The information contained in this document is subject to change without notice.

Not supplied.

Not supplied.

Mounting rod M8 x 10" long.

 Description
 List
 111.335
 111.798
 111.012
 111.520
 111.520
 111.490
 111.490
 109.304
 109.307
 109.307

OPTIONAL Installat	tion Accessories for Bidet Seats										
OT HONAL III Stallar	Water supply hose for bidet seat for Kappa and	240.839.00.1	72.00								
	Omega Concealed Tank pre-wall. For adding bidet seat to an installed carrier. For complete installation, must order with 249.801.00.1.	240.000.00.1	72.00			✓					
	Water supply hose for bidet seat for 111.597.00.1 and 111.798.00.1 carrier with Sigma Concealed Tank 2x4. For adding bidet seat to an installed carrier. For complete installation, must order with 249.801.00.1.	243.173.00.1	54.00		✓						
	Water supply hose for bidet seat add-on after finished installation of Sigma 2x6 and 2x4, Kappa and Omega Concealed Tanks.	249.801.00.1	130.00	✓	✓	✓					
-	tion Accessories for Geberit Duofix Carrie	Frames									
UP OR	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.013.00.1	27.00		✓						
	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	39.00	√		✓	√	√	√	✓	
	Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	39.00	\checkmark	✓	✓	✓	✓	✓	√	
	Support brackets for wall-hung toilets with small contact surface (thin profiles)	111.847.00.1	54.00	✓		✓					
	Fire protection set for Sigma Concealed Tank 90 min. fire resistance to DIN EN 1364-1:1999-10	111.863.00.1	586.00	√							
	Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-9.50" (13-24 cm)	111.064.00.1	74.00	√	✓	✓	✓	✓	✓	✓	
	Fastening set for sinks with 14.9"-22.8" (38-58 cm) mounting centers	111.868.00.1	128.00						✓		
	Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	39.00	√	✓	✓	✓	✓	✓	✓	
d	Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick (unfinished pre-wall)	111.887.00.1	17.00	√	✓	✓	√	✓	√	√	
	Crossbar for inlet 1/2" thread	242.042.00.1	121.00							✓	
	Retrofit adapter for inlet, 1/2" thread	242.309.00.1	121.00							✓	
	Elbow supply fitting set, Gun Metal	465.034.00.2	42.00				✓	✓	✓		

GEBERIT SYSTEM ACCESSORIES

Geberit Optional and Required Accessories for Installation




Description Model Number Price \$ 111.902 111.597 111.018 111.524 111.490 111.625 109.307 109.797

Description		Model Number	Price \$	111.902	111.597	111.018	111.520	111.524	111.490	111.625	109.307	109.797
OPTIONAL Installat	ion Waste Fitting Accessories											
	PP connector set with bend for floor-mount toilets with mounting hardware, 1 x 90° bends with socket for Ø4.375" (Ø110 mm) push fit piping for Ø3.82"-4.21" (Ø97-107 mm) male connection and expansion to Ø4.375" (Ø110 mm) outlet	152.647.00.1	128.00								(For A or B discharge. See below	./
	HDPE waste fitting outlet bend, $1\times90^\circ$ bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	366.061.16.1	25.00								(For A discharge. See below	✓
	HDPE straight connector with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet x 12" (31 cm) long	366.887.16.1	39.00	√	✓	√					(For A discharge. See below	
	HDPE connector with offset for LH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50° (Ø90 mm) push fit piping, with 45° offset and Ø3.50° (Ø90 mm) outlet for 5.5° (13.97 cm) minimum walls only.	366.913.16.1	83.00	✓	✓	✓					(For A discharge. See below	
	HDPE connector with offset for RH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50° (Ø90 mm) push fit piping, with 45° offset and Ø3.50° (Ø90 mm) outlet for 5.5° (13.97 cm) minimum walls only.	366.914.16.1	83.00	✓	✓	✓					(For A discharge. See below	
	Cast iron fitting; 90° 3.5" (90 mm) inlet, 3" outlet, 2" NPTF heel outlet	367.072.18.1	251.00	✓	✓	✓					(For A discharge. See below	
	HDPE "Back-to-back" connector for horizontal drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.485.16.1	170.00	✓	✓	✓					(For A or B discharge. See below	🗸
	HDPE "Back-to-back" connector for vertical drain connections; $2 \times 90^\circ$ bends with sockets for Ø3.50" (Ø90 mm) push fit piping and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.923.16.1	166.00	✓	✓	✓					(For A or B discharge See below	🗸

 $Note: Any \ of these \ fittings \ in \ combination \ with \ Geberit \ installation \ systems \ are \ cUPC \ and \ IPC \ listed.$

Waste Fitting Discharge Configurations for Floor Mount Back Outlet Toilets

Note: Mounting collar/clamp by installer







B. Floor-Mount Rear Discharge into Floor

The information contained in this document is subject to change without notice.